AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

- 1.-48. (Canceled)
- (Currently Amended) A method for screening for a molecule that binds either to a the protein complex of Claim 46 or to any of its protein components, preferably to comprising:
 - (a) "HDAC1" (SEQ ID No:10); and
 - (b) "SWI/SNF COMPLEX 60 KDA SUBUNIT" (SEO ID No:15),
 - (a) —"C20orf20" (SEQ ID No:4), a functionally active derivative thereof, a functionally active fragment thereof, a homolog thereof, or a variant of "C20orf20" encoded by a nucleic acid that hybridizes to the "C20orf20" nucleic acid or its complement under low stringency conditions, or to (b)"KIAA1093 (Fragment)" (SEQ ID No:11), a functionally active derivative thereof, a functionally active fragment thereof, a homolog thereof, or a variant of "KIAA1093 (Fragment)" encoded by a nucleic acid that hybridizes to the "KIAA1093 (Fragment)" nucleic acid or its complement under low stringency conditions, wherein the low stringency conditions comprise (a) hybridization in a buffer comprising about 35% formamide, about 5X SSC, about 50 mM Tris HCI (about pH 7.5), about 5 mM EDTA, about 0.02% PVP, about 0.02% Ficell, about 0.2% BSA, about 100 µg/ml denatured salmon sperm DNA, and about 10% (wt/vol) dextran sulfate for about 18 to about 20 hours at about 40 Celsius, (b) washing in a buffer consisting of about 2X SSC, about 25 mM Tris HCI (about pH 7.4), about 5 mM EDTA, and about 1.1 % SDS for about 1.5 hours at about 5

Celsius, and (c) washing in a buffer consisting of about 2X SSC, about 25 mM

Tris-HCI (about pH 7.4), about 5 mM EDTA, and about 0.1% SDS for about 1.5 hours at about 60 Celsius:

the method comprising the steps of:

- exposing the complex-or protein component, or a cell or organism containing the complex-or protein component, to one or more candidate molecules; and
- (b) determining whether the <u>one or more</u> candidate molecules is <u>are</u> bound to the complex or protein component.
- 50. (Currently Amended) The method of claim 49, wherein the method is for screening for a molecule that modulates directly or indirectly the function, activity, composition, or formation of the complex or protein component.
 - 51. (Currently Amended) The method of claim 49, wherein the determining step comprises:
 - (a) isolating from the cell or organism the complex from the cell or organism
 or protein component to produce the isolated complex or protein component;
 - (b) contacting the isolated complex in the presence or absence of a candidate molecule with a substrate of the complex in the presence or absence of a candidate molecule or-protein component; and
 - (c) determining whether the-processing of the substrate is modified in the presence of the candidate molecule.
- 52. (Currently Amended) The method of claim 49, wherein the method is a method of for screening for a drug useful in treating or preventing for treatment or prevention of a disease or disorder such as neurodegenerative diseases such as Alzheimer's disease.

Atty. Dkt. No. 085449-0159 Appln. No. 10/521,748

- 53. (Currently Amended) The method of claim 50, wherein the method is for screening of a molecule that modulatinges the apoptotic activity of the complex or the influence of the protein on the apoptotic activity of the complex.
- 54. (Previously Presented) The method of claim 50, further comprising mixing the identified molecule with a pharmaceutically acceptable carrier.

55-56. (Canceled)